

Beach chair seat fabric

Specifications

Article number: BLK690/045X107
Base material: 100% Polyester
Weight: 240 gsm

Width(cm)

ca.45

Length(m)

ca.107

Properties

Applications

Beach chairs



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Blank fabric kids beach chair

Specifications

Article number: BLK691/026X58
Base material: 100% Polyester
Weight: 240 gsm

Width(cm)

ca.26

Length(m)

ca.58

Properties

Applications

Beach chairs



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Carpets Non Woven

Specifications

Article number: CARPET420G
Base material: 100% Polyester
Weight: 420 gsm

Width(cm)

ca.320

Length(m)

ca.30

Properties

Coated backing to stick with double sided tape Economic
EN 13501-1 - Cf1-s1 Non fraying

Applications

Carpets / mats For trade shows and events



Remarks 100% PES; Non Woven white printable carpet; for sublimation transfer; Available on 4" core only.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Carpets Non Woven with anti-slip backing

Specifications

Article number: CARPET820G
 Base material: 100% Polyester
 Weight: 1.000 gsm

Width(cm)

ca.200
 ca.160
 ca.320

Length(m)

ca.25
 ca.25
 ca.25

Properties

Acoustic properties	EN 13501-1 - Cfl-s1
Gelfoam backing gives an anti-slip effect	Matt finish
No curling edges	Non fraying
Opaque	Very white print surface

Applications

Carpets / mats



Remarks

Total weight ± 1.000 gsm (+/- 10%).
 160 cm available from stock, 320 cm on order,
 200 cm on request

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Flagxellent

Specifications

Article number: F/105-FR-02
 Base material: 100% Polyester
 Weight: 100 gsm

Width(cm)

ca.505
 ca.505

Length(m)

ca.100
 ca.200

Properties

Double sided printable
 Matt finish
 Non fraying

Excellent print-through
 No curling edges

Applications

Banners front lit
 Flags

Economic banners outdoor



Remarks Available up to 505cm

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

SolvoFlag 115 + Paperliner

Specifications

Article number: F/105-FR-06-PB
Base material: 100% Polyester
Weight: 115 gsm

Width(cm)

ca.152

Length(m)

ca.50

Properties

Excellent print-through
For printers without gutter
Non fraying

Flag with paperliner
No curling edges

Applications

Economic banners outdoor
Flags



Remarks For Solvent/UV printers without gutter for direct printing on open fabrics

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

TCS Voile 50 FR +w

Specifications

Article number: F/107-FR-02
Base material: Trevira CS
Weight: 50 gsm

Width(cm)

ca.310
ca.505

Length(m)

ca.50
ca.50

Properties

Crease free

Applications



Remarks Trevira CS Yarn

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

PES Mesh 230

Specifications

Article number: F/115-FR-02
 Base material: 100% Polyester
 Weight: 230 gsm

Width(cm)

ca.505
 ca.252

Length(m)

ca.50
 ca.50

Properties

Available up to 505cm	Good air porosity
High tensile strenght	Matt finish
No curling edges	Non fraying
Open structure	

Applications

Banners front lit	Barrier covers
Economic banners outdoor	Outdoor banners



Remarks open structure and very strong like PVC Mesh, but 100% PES.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Uni Basic Display 200

Specifications

Article number: F/122-FR-06
 Base material: 100% Polyester
 Weight: 200 gsm

Width(cm) Length(m)

ca.155	ca.50
ca.252	ca.50
ca.310	ca.50
ca.505	ca.50

Properties

Great colours for UV, latex	Less UV smells
Matt finish	No curling edges
Non fraying	

Applications

Banners front lit	Pop up presentation systems
Textile frame systems	



Remarks Mesh kit needed when printing.
 Available up to 505cm

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Display

Specifications

Article number: F/125-FR-02
 Base material: 100% Polyester
 Weight: 195 gsm

Width(cm)	Length(m)
ca.160	ca.100
ca.252	ca.100
ca.505	ca.100
ca.320	ca.100

Properties

Available up to 505cm	Crease free
Matt finish	No curling edges
Non fraying	Opaque

Applications

Banners front lit	Economic banners outdoor
Pop up presentation systems	Textile frame systems
Wall covering	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Display Opaque

Specifications

Article number: F/126-FR-02
 Base material: 100% Polyester
 Weight: 160 gsm

Width(cm)

ca.310
 ca.505

Length(m)

ca.100
 ca.100

Properties

2-3% stretch	Available up to 505cm
Crease free	Double sided printable
Glossy finish	Matt finish
No curling edges	Non fraying
One side glossy	One side matt
Opaque	

Applications

Banners front lit



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Lightbox Soft Knitted

Specifications

Article number: F/126-FR-06
 Base material: 100% Polyester
 Weight: 205 gsm

Width(cm)

ca.155
 ca.252
 ca.310
 ca.505

Length(m)

ca.50
 ca.150
 ca.<Standaard
 ca.<Standaard

Properties

2-3% stretch	Air tight
Available up to 505cm	Crease free
Excellent light diffusion	Less UV smells
Matt finish	No curling edges
Non fraying	

Applications

Light boxes



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Heavy Display

Specifications

Article number: F/127-FR-02
 Base material: 100% Polyester
 Weight: 240 gsm

Width(cm)

ca.160
 ca.252
 ca.320
 ca.505

Length(m)

ca.50
 ca.150
 ca.<Standaard
 ca.<Standaard

Properties

Acoustic properties	Crease free
Matt finish	No curling edges
Non fraying	Opaque

Applications

Banners front lit	Textile frame systems
Wall covering	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Uni Heavy Display

Specifications

Article number: F/127-FR-06
 Base material: 100% Polyester
 Weight: 255 gsm

Width(cm)

ca.155
 ca.252
 ca.310
 ca.505

Length(m)

ca.50
 ca.50
 ca.50
 ca.50

Properties

Available up to 505cm
 Less UV smells
 No curling edges
 Opaque

Great colours for UV, latex
 Matt finish
 Non fraying

Applications

Banners front lit
 Textile frame systems
 Wall covering

Pop up presentation systems
 Textile wall/ceiling systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Uni Display Blackback

Specifications

Article number: F/128-FR-06
Base material: 100% Polyester
Weight: 270 gsm

Width(cm)

ca.252
ca.310
ca.505
ca.155

Length(m)

ca.50
ca.50
ca.50
ca.50

Properties

Block out
Matt finish
Non fraying
PU coating

Less UV smells
No curling edges
Opaque

Applications

Banners front lit
Textile frame systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Display Premium 260

Specifications

Article number: F/129-FR-02
 Base material: 100% Polyester
 Weight: 260 gsm

Width(cm)

ca.155
 ca.320
 ca.505

Length(m)

ca.50
 ca.50
 ca.50

Properties

Acoustic properties	Crease free
Glossy finish	Matt finish
No curling edges	Non fraying
Opaque	

Applications

Art reproductions	Banners front lit
Pop up presentation systems	Textile frame systems
Textile wall/ceiling systems	Wall covering



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Uni Tentex 185

Specifications

Article number: F/131-FR-06
 Base material: 100% Polyester
 Weight: 185 gsm

Width(cm) Length(m)

ca.155	ca.50
ca.252	ca.50
ca.310	ca.50
ca.505	ca.50

Properties

Available up to 505cm	Less UV smells
Matt finish	No curling edges
Non fraying	

Applications

Banners front lit	Textile frame systems
Textile wall/ceiling systems	Wall covering



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Lightbox Venus

Specifications

Article number: F/132-FR-06
 Base material: 100% Polyester
 Weight: 170 gsm

Width(cm) Length(m)

ca.160	ca.100
ca.252	ca.50
ca.320	ca.100
ca.505	ca.50

Properties

Available up to 505cm	Crease free
Excellent light diffusion	Less UV smells
Matt finish	Non fraying
Opaque	

Applications

Light boxes Textile frame systems



Remarks Inside: UV, Latex&Solvent.
 Outside: Sublimation

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Satin 175 FR +w

Specifications

Article number: F/133-FR-02
Base material: 100% Polyester
Weight: 175 gsm

Width(cm)

ca.310

Length(m)

ca.50

Properties

Crease free
No curling edges
Opaque

Glossy finish
Non fraying

Applications

Banners front lit
Table cloths
Wall covering

Furniture & pillows
Textile frame systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Uni Maxlight 280 FR +S/uv

Specifications

Article number: F/135-FR-06
 Base material: 100% Polyester
 Weight: 280 gsm

Width(cm) Length(m)

ca.155	ca.50
ca.252	ca.50
ca.310	ca.50
ca.505	ca.50

Properties

Excellent light diffusion	Matt finish
No curling edges	Non fraying
Opaque	

Applications

Banners front lit	Light boxes
Textile frame systems	



Remarks This material does not have a water column

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sprinkler 150 FR +S/uv

Specifications

Article number: F/138-FR-73
Base material: Cotton
Weight: 150 gsm

Width(cm)

ca.310
ca.505

Length(m)

ca.50
ca.50

Properties

Non fraying

Applications



Remarks Your printer needs an ink gutter to print this material

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sprinkler 90 VdS

Specifications

Article number: F/139-FR-00
Base material: Cotton
Weight: 90 gsm

Width(cm)

ca.310
ca.520

Length(m)

ca.60
ca.60

Properties

Non fraying

Applications

Sprinkler



Remarks

Sprinkler compatible, VdS Certified.
Your printer needs an ink gutter to print this material

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Cotton Canvas 230 FR + S/uv

Specifications

Article number: F/140-FR-06
 Base material: Cotton
 Weight: 230 gsm

Width(cm)

ca.505
 ca.310
 ca.252

Length(m)

ca.50
 ca.50
 ca.50

Properties

No curling edges Non fraying

Applications

Art reproductions Banners front lit



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Cotton Canvas 370

Specifications

Article number: F/142-FR-06
 Base material: Cotton
 Weight: 370 gsm

Width(cm)

ca.155
 ca.505
 ca.252

Length(m)

ca.50
 ca.50
 ca.50

Properties

Available up to 505cm	Great colours
Less UV smells	Matt finish
Natural look	No curling edges
Opaque	Real cotton

Applications

Canvas



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Eco BeachFlag

Specifications

Article number: F/156-FR-02
Base material: 100% Polyester
Weight: 95 gsm

Width(cm)

ca.505

Length(m)

ca.100

Properties

Available up to 505cm

Matt finish

Excellent print-through

Non fraying

Applications

Economic banners outdoor

Flags



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Lightbox Supreme

Specifications

Article number: F/159-FR-02
Base material: 100% Polyester
Weight: 310 gsm

Width(cm)

ca.160
ca.252
ca.320

Length(m)

ca.50
ca.50
ca.50

Properties

2-3% stretch	Crease free
Excellent light diffusion	High density textile
No curling edges	Non fraying
Opaque	Soft hand

Applications

Light boxes



Remarks Euroclass B-s1, D0 in testing

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Display Premium 220

Specifications

Article number: F/165-FR-02
Base material: 100% Polyester
Weight: 220 gsm

Width(cm)

ca.155
ca.310
ca.505

Length(m)

ca.50
ca.50
ca.50

Properties

Crease free
No curling edges
Opaque

Matt finish
Non fraying

Applications

Banners front lit



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Blackback Contrast

Specifications

Article number: F/175-FR-02
 Base material: 100% Polyester
 Weight: 230 gsm

Width(cm) Length(m)

ca.160	ca.50
ca.252	ca.50
ca.320	ca.100
ca.505	ca.50
ca.505	ca.100

Properties

Available up to 505cm	Black backside
Dim out	Matt finish
No curling edges	Non fraying
Printable with multiple techniques	

Applications

Banners front lit	Textile frame systems
Wall covering	



Remarks DIN EN 13501-1 B-s1, d0

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Spinnaker 65

Specifications

Article number: F/180-FR-02
 Base material: 100% Polyester
 Weight: 65 gsm

Width(cm)

ca.155
 ca.310
 ca.505

Length(m)

ca.100
 ca.100
 ca.100

Properties

Air tight	Available up to 505cm
Excellent print-through	Less noise / soft finish
No curling edges	Perfect for blowups

Applications

Flags Sky tubes



Remarks For skytubes, skydancers or flags.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Soundtex 270

Specifications

Article number: F/182-FR-02
 Base material: 100% Polyester
 Weight: 270 gsm

Width(cm)

ca.310
 ca.155

Length(m)

ca.50
 ca.50

Properties

Acoustic properties
 Matt finish
 Structured design

Crease free
 Opaque

Applications

Banners front lit
 Textile frame systems

Sound absorbing



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Art Canvas 345 FR+w

Specifications

Article number: F/185-FR-02
Base material: 100% Polyester
Weight: 335 gsm

Width(cm)

ca.155
ca.310
ca.254

Length(m)

ca.50
ca.50
ca.50

Properties

Double sided printable
Opaque

Matt finish

Applications

Art reproductions
Furniture & pillows

Curtains
Table cloths



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Silencio 5

Specifications

Article number: F/186-FR-06
 Base material: Trevira CS
 Weight: 300 gsm

Width(cm)

ca.505
 ca.310

Length(m)

ca.25
 ca.25

Properties

Acoustic properties
 Trevira CS yarn

Available up to 505cm
 Waffle structure

Applications



Remarks

Stunning three-dimensional surface that breaks down and absorbs acoustic waves.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Silencio 10, B-s1, d0

Specifications

Article number: F/187-FR-06
Base material: Trevira CS
Weight: 300 gsm

Width(cm)

ca.310
ca.505

Length(m)

ca.25
ca.25

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Descor Premium 245

Specifications

Article number: F/190-FR-06
 Base material: 100% Polyester
 Weight: 245 gsm

Width(cm)

ca.310
 ca.505

Length(m)

ca.50
 ca.50

Properties

Acoustic properties	Available up to 505cm
Less UV smells	Matt finish
No curling edges	Non fraying
Opaque	

Applications

Sound absorbing	Textile frame systems
Textile wall/ceiling systems	Wall covering



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Descor Light 230

Specifications

Article number: F/195-FR-06
 Base material: 100% Polyester
 Weight: 230 gsm

Width(cm)

ca.505
 ca.310

Length(m)

ca.50
 ca.50

Properties

Available up to 505cm	Less UV smells
Matt finish	No curling edges
Non fraying	Opaque

Applications

Textile frame systems	Textile wall/ceiling systems
Wall covering	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Descor Premium Acoustic 245 FR

Specifications

Article number: F/196-FR-06
 Base material: 100% Polyester
 Weight: 185 gsm

Width(cm)

ca.505
 ca.310

Length(m)

ca.50
 ca.50

Properties

Acoustic properties	Available up to 505cm
Less UV smells	Matt finish
No curling edges	Non fraying
Opaque	

Applications

Sound absorbing	Textile frame systems
Textile wall/ceiling systems	Wall covering



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Universal Heavy Art Canvas 390 FR+ws

Specifications

Article number: F/201-FR-77
Base material: 100% Polyester
Weight: 390 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Flag 115

Specifications

Article number: F/205-FR-02
 Base material: 100% Polyester
 Weight: 115 gsm

Width(cm) Length(m)

ca.160	ca.100
ca.183	ca.100
ca.253	ca.100
ca.320	ca.100

Properties

Double sided printable	Excellent print-through
Matt finish	No curling edges
Non fraying	

Applications

Banners front lit	Economic banners outdoor
Flags	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

PES Tafetta 55 FR +w

Specifications

Article number: F/206-FR-00
Base material: 100% Polyester
Weight: 55 gsm

Width(cm)

ca.155

Length(m)

ca.100

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Weave Voile 62 FR +w

Specifications

Article number: F/220-FR-02
Base material: 100% Polyester
Weight: 62 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Knitt Voile 50

Specifications

Article number: F/221-FR-00
 Base material: 100% Polyester
 Weight: 50 gsm

Width(cm)

ca.155
 ca.310

Length(m)

ca.200
 ca.200

Properties

Available up to 505cm
 Transparent
 Non fraying

Applications

Exhibitions
 Transparent net curtains
 Indoor flags



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Display 200 FR

Specifications

Article number: F/222-FR-02
 Base material: 100% Polyester
 Weight: 200 gsm

Width(cm)

ca.160
 ca.320

Length(m)

ca.100
 ca.100

Properties

Crease free
 Non fraying
 Matt finish

Applications

Economic banners outdoor
 Textile frame systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Display 220

Specifications

Article number: F/226-FR-02
 Base material: 100% Polyester
 Weight: 220 gsm

Width(cm) Length(m)

ca.160	ca.100
ca.183	ca.100
ca.253	ca.100
ca.320	ca.100

Properties

Crease free	Matt finish
No curling edges	Non fraying
Soft hand	

Applications

Banners front lit	Textile frame systems
Textile wall/ceiling systems	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Satin 130 FR

Specifications

Article number: F/233-FR-02
Base material: 100% Polyester
Weight: 130 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.100
ca.100

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Satin 130 dyed Silver Grey FR

Specifications

Article number: F/233-FR-02-SILV
Base material: 100% Polyester
Weight: 130 gsm

Width(cm)

ca.310

Length(m)

ca.50

Properties

2-3% stretch

Crease free

Economic

Opaque

Applications

Double sided beach flags

Double sided hanging banners

Flags

Textile frame systems

Usage behind existing textile frames



Remarks

Silver dyed fabric for middle layer in double side flags or banners

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Display Stretch 220

Specifications

Article number: F/249-FR-02
Base material: 100% Polyester
Weight: 220 gsm

Width(cm)

ca.155
ca.253
ca.310

Length(m)

ca.75
ca.75
ca.75

Properties

3-5% stretch
Matt finish
Crease free
Non fraying

Applications

Textile frame systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Bedlinnen 102

Specifications

Article number: F/253-XX-00
Base material: 100% Polyester
Weight: 102 gsm

Width(cm)

ca.150

Length(m)

ca.100

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic BeachFlag 115 +w

Specifications

Article number: F/256-XX-00
 Base material: 100% Polyester
 Weight: 115 gsm

Width(cm)

ca.160
 ca.320

Length(m)

ca.100
 ca.100

Properties

Excellent print-through Non fraying

Applications

Economic banners outdoor Flags



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

PES Stretchi Power 260 FR +w

Specifications

Article number: F/258-FR-02
 Base material: 100% Polyester
 Weight: 260 gsm

Width(cm)

ca.155
 ca.310

Length(m)

ca.55
 ca.55

Properties

Crease free	Double sided printable
Matt finish	No curling edges
Non fraying	Opaque
Stretch >5%	

Applications

Pop up presentation systems Textile frame systems



Remarks

10% stretch in both directions!
 Direct printing: always test. for some printers the stretch is a bit too much.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Canvas Goya 330 +S/uv

Specifications

Article number: F/263-XX-11
Base material: Mix
Weight: 330 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sound Absorbing Felt 400

Specifications

Article number: F/290-FR-00
Base material: 100% Polyester
Weight: 400 gsm

Width(cm)

ca.145

Length(m)

ca.60

Properties

B1 according to DIN 4102 B1
Produced from recycled fibres

Excellent noise absorption

Applications

Sound absorbing
Usage behind existing textile frames



Remarks

Can be used as sound absorbing material in frame systems. Not for printing! B1 certificated. Sound absorbing properties available on request.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Pearl Lightbox

Specifications

Article number: F/309-FR-15
 Base material: 100% Polyester
 Weight: 130 gsm

Width(cm) Length(m)

ca.160	ca.50
ca.255	ca.50
ca.320	ca.50
ca.320	ca.100
ca.510	ca.100

Properties

Available up to 510cm	Crease free
Dekotex® certified	Excellent light diffusion
Less UV smells	Matt finish
No curling edges	Non fraying
Worldwide certification	

Applications

Banners front lit	Light boxes
Textile frame systems	



Remarks Best lightbox textile on the market for UV, Latex and Solvent.
 Also available in 100m rolls
 For sublimation transfer there is Pearl transfer

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Bi Night 320 FR +S/uv

Specifications

Article number: F/311-FR-15
Base material: Mix
Weight: 320 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

Applications



Remarks

Double sided printable with solvent, UV or latex inks.
Latex printed: sensitive for scratches, test !

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Diamond 250 +S/uv

Specifications

Article number: F/312-FR-15
Base material: 100% Polyester
Weight: 250 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

High Drop 230 FR +S/uv

Specifications

Article number: F/316-FR-15
Base material: 100% Polyester
Weight: 230 gsm

Width(cm)

ca.310
ca.155

Length(m)

ca.50
ca.50

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Skin 145 FR

Specifications

Article number: F/322-FR-15
Base material: 100% Polyester
Weight: 145 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Aqua Sun 155

Specifications

Article number: F/325-FR-10
 Base material: 100% Polyester
 Weight: 155 gsm

Width(cm)

ca.155
 ca.250
 ca.310

Length(m)

ca.100
 ca.50
 ca.100

Properties

Crease free Excellent light diffusion
 High density textile Non fraying

Applications

Light boxes Textile frame systems



Remarks Best lightbox textile on the market for direct printing.

ATTENTION: In dyesub printing ink can migrate into the coating and cause uncontrolled, time delayed colour changes. This effect is commonly known as 'cold migration'. Storage/packing advise: roll a tissue paper in between print side.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Theater

Specifications

Article number: F/327-FR-15
 Base material: 100% Polyester
 Weight: 290 gsm

Width(cm) Length(m)

ca.155	ca.50
ca.255	ca.50
ca.310	ca.50
ca.510	ca.50

Properties

Available up to 510cm	Double sided printable
Less UV smells	Matt finish
No curling edges	Non fraying

Applications

Banners front lit	Double sided hanging banners
Textile frame systems	Textile wall/ceiling systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sublimis Transfer 130

Specifications

Article number: F/330-FR-00
 Base material: 100% Polyester
 Weight: 130 gsm

Width(cm)

ca.160
 ca.320

Length(m)

ca.100
 ca.100

Properties

Block out	Crease free
Excellent light diffusion	High density textile
Matt finish	No curling edges
No ink migration	No white creasing
Non fraying	Opaque

Applications

Banners front lit	Blockout banners
Light boxes	Pop up presentation systems
Textile frame systems	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

AquaLight Transfer 145 FR

Specifications

Article number: F/340-FR-00
Base material: 100% Polyester
Weight: 145 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Blackback

Specifications

Article number: F/352-FR-02
 Base material: 100% Polyester
 Weight: 245 gsm

Width(cm) Length(m)

ca.320	ca.150
ca.320	ca.75
ca.505	ca.150
ca.505	ca.75

Properties

99% block out	Available up to 505cm
Black backside	Matt finish
No curling edges	Non fraying

Applications

Banners front lit	Roll up banners & blinds
Textile frame systems	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Moon 165 FR+ uv

Specifications

Article number: F/355-FR-15
 Base material: 100% Polyester
 Weight: 165 gsm

Width(cm)

ca.155
 ca.310
 ca.510

Length(m)

ca.50
 ca.50
 ca.50

Properties

Dim out No curling edges
 Non fraying

Applications

Light boxes Textile frame systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Art Canvas 370

Specifications

Article number: F/502-XX-00
Base material: 100% Polyester
Weight: 370 gsm

Width(cm)

ca.160

Length(m)

ca.50

Properties

Canvas structure Crease free
Opaque Soft hand

Applications

Art reproductions Beach chairs
Canvas



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Casino Dimout 295

Specifications

Article number: F/652-FR-02
 Base material: 100% Polyester
 Weight: 295 gsm

Width(cm)

ca.295
 ca.145

Length(m)

ca.45
 ca.45

Properties

Block out	Crease free
Double sided printable	High density textile
Matt finish	Soft hand

Applications

Blockout banners	Curtains
Double sided beach flags	Dressing rooms



Remarks

Blockout (97% blackout) version of the Casino with very soft hand and absolut creasefree.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Furniture Canvas 360

Specifications

Article number: F/660-XX-00
Base material: 100% Polyester
Weight: 360 gsm

Width(cm)

ca.150

Length(m)

ca.50

Properties

Applications



Remarks Martindale 50.000; Lotus Finish

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Furniture Soft 220

Specifications

Article number: F/671-XX-00
Base material: 100% Polyester
Weight: 220 gsm

Width(cm)

ca.155

Length(m)

ca.80

Properties

Applications

Furniture & pillows

Gambling tables



Remarks

High abrasion resistance > 45.000 Martin Dale

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Polar Fleece

Specifications

Article number: F/675-XX-00
Base material: 100% Polyester
Weight: 250 gsm

Width(cm)

ca.150

Length(m)

ca.50

Properties

Crease free Double sided printable
Microfiber with double sided fleece Non fraying
Soft hand

Applications

Blanket Wearables/clothing



Remarks soft double side fleece fabric, printable on both sides.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Heavy Tent 245 FR

Specifications

Article number: F/701-FR-01
Base material: 100% Polyester
Weight: 245 gsm

Width(cm)

ca.150

Length(m)

ca.100

Properties

Applications

Bean bags & outdoor furniture

Tents



Remarks

Water and dirt repellent treatment, anti-fungus treatment and very abrasion resistant yarn (> 100.000 martin dale).

Always store a tent/tent product and be sure to store it DRY. Do not leave it outside for a longer period of time.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Shower Curtain 108

Specifications

Article number: F/711-XX-00
Base material: 100% Polyester
Weight: 108 gsm

Width(cm)

ca.208

Length(m)

ca.100

Properties

Crease free Double sided printable
Water repellent

Applications

Shower curtains



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Shower Curtain Plain 74

Specifications

Article number: F/713-XX-00
Base material: 100% Polyester
Weight: 74 gsm

Width(cm)

ca.208

Length(m)

ca.100

Properties

Crease free Double sided printable
Water repellent

Applications

Shower curtains



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Apron Blend

Specifications

Article number: F/720-XX-00
 Base material: 50% Cotton / 50% Polyester
 Weight: 200 gsm

Width(cm)

ca.150

Length(m)

ca.80

Properties

Crease free	Dirt repellent
Inside surface 90% cotton	Matt finish
Opaque	Printing surface 90% polyester
Special weave with 100% polyester warp and 100% cotton weft	Water repellent

Applications

Curtains	Furniture & pillows
Wearables/clothing	



Remarks Printside (polyester) = inside

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Towel 190

Specifications

Article number: F/725-XX-00
Base material: 100% Polyester
Weight: 190 gsm

Width(cm)

ca.135

Length(m)

ca.50

Properties

Crease free

Applications

Towel



Remarks

Woven textile with Hydrophilic finish - to increase the water absorption. Washable on 40°C.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Heavy Tent Blockout 290

Specifications

Article number: F/750-FR-02
Base material: 100% Polyester
Weight: 290 gsm

Width(cm)

ca.150

Length(m)

ca.50

Properties

Black backside Block out
PU coating

Applications

Promotional tents and displays



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Satin + non-woven 225 +W

Specifications

Article number: F/768-XX-02
Base material: 100% Polyester
Weight: 225 gsm

Width(cm)

ca.150

Length(m)

ca.50

Properties

Dim out
Matt finish

Glossy finish
No curling edges

Applications

Pennants



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Spinnaker 75 FR+w

Specifications

Article number: F/780-FR-02
Base material: 100% Polyester
Weight: 75 gsm

Width(cm)

ca.155

Length(m)

ca.100

Properties

Air tight
Double sided printable

Crease free
No curling edges

Applications

Sky tubes



Remarks

Spinnaker 100% PES for sublimation direct or transfer.
Unique: Can be direct-printed in a paper printer !!

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sporttrikot textured diamond 130

Specifications

Article number: F/810-XX-00
Base material: 100% Polyester
Weight: 130 gsm

Width(cm)

ca.174

Length(m)

ca.80

Properties

5-10% stretch
Economic
Crease free
Non fraying

Applications

Sportswear



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sporttrikot textured diamond 180G

Specifications

Article number: F/813-XX-00
Base material: 100% Polyester
Weight: 180 gsm

Width(cm)

ca.168

Length(m)

ca.80

Properties

Non fraying

Stretch >5%

Applications

Sportswear



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sporttrikot plain 130

Specifications

Article number: F/820-XX-00
Base material: 100% Polyester
Weight: 130 gsm

Width(cm)

ca.162

Length(m)

ca.85

Properties

5-10% stretch
Economic

Crease free
Non fraying

Applications

Sportswear
Table cloths



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sporttrikot plain 155

Specifications

Article number: F/822-XX-00
Base material: 100% Polyester
Weight: 155 gsm

Width(cm)

ca.200

Length(m)

ca.60

Properties

Crease free Non fraying

Applications

Sportswear



Remarks 2" core

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Sporttrikot plain 170

Specifications

Article number: F/823-XX-00
 Base material: 100% Polyester
 Weight: 170 gsm

Width(cm)

ca.162

Length(m)

ca.60

Properties

Non fraying Stretch >5%

Applications

Sportswear Table cloths



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Thermo 180

Specifications

Article number: F/830-XX-00
 Base material: 100% Polyester
 Weight: 180 gsm

Width(cm)

ca.160

Length(m)

ca.60

Properties

Non fraying Stretch >5%

Applications

Sportswear



Remarks Sporttrikot with one side brushed

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Double Face 20% Cotton

Specifications

Article number: F/843-XX-00
Base material: Mix
Weight: 165 gsm

Width(cm)

ca.170

Length(m)

ca.60

Properties

Crease free

Soft hand

Applications



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Piquet 170

Specifications

Article number: F/851-XX-00
Base material: 100% Polyester
Weight: 170 gsm

Width(cm)

ca.168

Length(m)

ca.60

Properties

Matt finish Non fraying
Stretch >5%

Applications

Sportswear Table cloths



Remarks Perfect for making polo shirts or table cloths

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Flag 110

Specifications

Article number: F/905-FR-02
 Base material: 100% Polyester
 Weight: 110 gsm

Width(cm)

ca.255
 ca.160
 ca.320

Length(m)

ca.100
 ca.100
 ca.100

Properties

Crease free Double sided printable
 Excellent print-through No curling edges
 Non fraying

Applications

Banners front lit Economic banners outdoor
 Flags



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Pes Mesh 250

Specifications

Article number: F/915-FR-02
 Base material: 100% Polyester
 Weight: 250 gsm

Width(cm)

ca.320
 ca.160

Length(m)

ca.50
 ca.50

Properties

Good air porosity
 Non fraying
 High tensile strenght
 Open structure

Applications

Barrier covers
 Outdoor banners



Remarks open structure and very strong like PVC Mesh, but 100% PES.

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Mercury 180 FR +S/uv

Specifications

Article number: F/923-FR-06
 Base material: 100% Polyester
 Weight: 180 gsm

Width(cm)

ca.160
 ca.320

Length(m)

ca.50
 ca.50

Properties

Air tight
 Non fraying

Excellent light diffusion
 Water repellent

Applications

Banners front lit
 Light boxes
 Textile frame systems

Inflatables
 Shower curtains



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Mercury NQ

Specifications

Article number: F/924-FR-06
 Base material: 100% Polyester
 Weight: 180 gsm

Width(cm) Length(m)

ca.320 ca.100
 ca.160 ca.100

Properties

Air tight	Crease free
Excellent light diffusion	Non fraying
Soft hand	Water repellent

Applications

Banners front lit	Inflatables
Light boxes	Shower curtains
Textile frame systems	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Basic Display 210

Specifications

Article number: F/926-FR-02
 Base material: 100% Polyester
 Weight: 210 gsm

Width(cm)

ca.255
 ca.320
 ca.160

Length(m)

ca.100
 ca.100
 ca.100

Properties

Crease free
 No curling edges
 Up to 3% stretch

Matt finish
 Non fraying

Applications

Banners front lit
 Textile frame systems

Exhibitions
 Textile wall/ceiling systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Display Stretch 240

Specifications

Article number: F/935-FR-02
 Base material: 100% Polyester
 Weight: 240 gsm

Width(cm)

ca.160
 ca.320

Length(m)

ca.75
 ca.75

Properties

5-8% stretch	Crease free
High density textile	Matt finish
Non fraying	Opaque
Soft hand	Stretch >5%

Applications

Pop up presentation systems	Stretch covering systems
Textile frame systems	



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Heavy Stretch 260

Specifications

Article number: F/936-FR-02
 Base material: 100% Polyester
 Weight: 260 gsm

Width(cm)

ca.320
 ca.160

Length(m)

ca.50
 ca.50

Properties

15% elastic yarn	Both directions >5% stretch
Crease free	Non fraying
Opaque	Soft hand
Stretch >5%	

Applications

Pop up presentation systems Textile frame systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Blackback Soft

Specifications

Article number: F/950-FR-02
 Base material: 100% Polyester
 Weight: 260 gsm

Width(cm) Length(m)

ca.160	ca.50
ca.255	ca.50
ca.320	ca.50
ca.320	ca.150

Properties

3-5% stretch	Black backside
Crease free	Dim out
High density textile	Matt finish
Non fraying	Soft hand
Stretch >5%	

Applications

Banners front lit	Exhibitions
Pop up presentation systems	Roll up banners & blinds
Textile frame systems	Wall covering



Remarks If you want to print UV, please use our UNI Display Black back!

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Casino Dimout 295

Specifications

Article number: F/952-FR-02
 Base material: 100% Polyester
 Weight: 280 gsm

Width(cm)

ca.160
 ca.320

Length(m)

ca.50
 ca.50

Properties

Block out	Crease free
Dim out	Double sided printable
Matt finish	Soft hand

Applications

Blockout banners	Curtains
Dressing rooms	Flags



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Whiteback Soft

Specifications

Article number: F/955-FR-02
 Base material: 100% Polyester
 Weight: 300 gsm

Width(cm)

ca.160
 ca.320

Length(m)

ca.50
 ca.50

Properties

Block out	Double sided printable
High density textile	Matt finish
Non fraying	Soft hand
Stretch >5%	Up to 3% stretch

Applications

Banners front lit	Blockout banners
Curtains theater	Textile frame systems



Remarks Ink migration to white side is possible when printed with Subli direct or transfer

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Blackback Light FR

Specifications

Article number: F/960-FR-02
Base material: 100% Polyester
Weight: 240 gsm

Width(cm)

ca.160
ca.255
ca.320

Length(m)

ca.100
ca.100
ca.100

Properties

3-5% stretch
Dim out
Matt finish

Black backside
High density textile
Non fraying

Applications

Banners front lit
Wall covering

Textile frame systems



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Poly Canvas

Specifications

Article number: F145-XX-00
Base material: 100% Polyester
Weight: 245 gsm

Width(cm)

ca.155
ca.310

Length(m)

ca.50
ca.50

Properties

No curling edges

Non fraying

Applications

Art reproductions



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Reflective Fabric

Specifications

Article number: F990XX00
Base material: Mix
Weight: 250 gsm

Width(cm)

ca.101

Length(m)

ca.50

Properties

Applications

Sportswear



Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Subli-Lining 40

Specifications

Article number: SL40/150x100
Base material: 100% Polyester
Weight: 34 gsm

Width(cm)

ca.154

Length(m)

ca.100

Properties

Matt finish No curling edges
Non fraying

Applications

Curtains Furniture & pillows
Furniture coverings Wearables/clothing



Remarks

Lining to print natural fabrics with sublimation transfer.
Effective width: 150 cm, material width: 154 cm
Rolls on 2"(50mm) cores

Notice: TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.