

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Apron Blend	F/720-XX-00	NONE	150	80					●			
Aqua Sun 155	F/325-FR-10	M1	155	100					●	●		
Aqua Sun 155	F/325-FR-10	M1	250	50					●	●		
Aqua Sun 155	F/325-FR-10	M1	310	100					●	●		
AquaLight Transfer 145 FR	F/340-FR-00	M1	155	50					●			
AquaLight Transfer 145 FR	F/340-FR-00	M1	310	50					●			
Art Canvas 345 FR+w	F/185-FR-02	B1	155	50		●			●	●		
Art Canvas 345 FR+w	F/185-FR-02	B1	254	50		●			●	●		
Art Canvas 345 FR+w	F/185-FR-02	B1	310	50		●			●	●		
Art Canvas 370	F/502-XX-00	NONE	160	50					●			
Basic BeachFlag 115 +w	F/256-XX-00	NONE	160	100		●	●		●	●		
Basic BeachFlag 115 +w	F/256-XX-00	NONE	320	100		●	●		●	●		
Basic Display	F/125-FR-02	B1/M1	160	100					●	●		
Basic Display	F/125-FR-02	B1/M1	252	100					●	●		
Basic Display	F/125-FR-02	B1/M1	320	100					●	●		
Basic Display	F/125-FR-02	B1/M1	505	100					●	●		
Basic Display 200 FR	F/222-FR-02	B1/M1	160	100					●	●		
Basic Display 200 FR	F/222-FR-02	B1/M1	320	100					●	●		
Basic Display 210	F/926-FR-02	B1	160	100					●	●		
Basic Display 210	F/926-FR-02	B1	255	100					●	●		
Basic Display 210	F/926-FR-02	B1	320	100					●	●		

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Basic Display 220	F/226-FR-02	B1/M1	160	100					●	●		
Basic Display 220	F/226-FR-02	B1/M1	183	100					●	●		
Basic Display 220	F/226-FR-02	B1/M1	253	100					●	●		
Basic Display 220	F/226-FR-02	B1/M1	320	100					●	●		
Basic Display Opaque	F/126-FR-02	B1/M1	310	100			●		●	●		
Basic Display Opaque	F/126-FR-02	B1/M1	505	100			●		●	●		
Basic Display Premium 220	F/165-FR-02	EU	155	50		●			●	●		
Basic Display Premium 220	F/165-FR-02	EU	310	50		●			●	●		
Basic Display Premium 220	F/165-FR-02	EU	505	50		●			●	●		
Basic Flag 110	F/905-FR-02	B1	160	100					●	●		
Basic Flag 110	F/905-FR-02	B1	255	100					●	●		
Basic Flag 110	F/905-FR-02	B1	320	100					●	●		
Basic Flag 115	F/205-FR-02	B1/M1	160	100			●		●	●		
Basic Flag 115	F/205-FR-02	B1/M1	183	100			●		●	●		
Basic Flag 115	F/205-FR-02	B1/M1	253	100			●		●	●		
Basic Flag 115	F/205-FR-02	B1/M1	320	100			●		●	●		
Basic Satin 130 dyed Silver Grey FR	F/233-FR-02-SIL	B1	310	50								
Basic Satin 130 FR	F/233-FR-02	B1	155	100		●			●	●		
Basic Satin 130 FR	F/233-FR-02	B1	310	100		●			●	●		
Beach chair seat fabric	BLK690/045X10	NONE	45	107					●	●		
Bedlinnen 102	F/253-XX-00	NONE	150	100					●			

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Bi Night 320 FR +S/uv	F/311-FR-15	M1	155	50	●	●	●					
Bi Night 320 FR +S/uv	F/311-FR-15	M1	310	50	●	●	●					
Black Pearl 135	F/309-FR-15-BK	M1	152	50		●						
Black Pearl 135	F/309-FR-15-BK	M1	305	50		●						
Blackback	F/352-FR-02	B1/M1	320	75		●	●					
Blackback	F/352-FR-02	B1/M1	320	150		●	●					
Blackback	F/352-FR-02	B1/M1	505	150		●	●					
Blackback	F/352-FR-02	B1/M1	505	75		●	●					
Blackback Contrast	F/175-FR-02	B1/M1	160	50		●	●		●	●		
Blackback Contrast	F/175-FR-02	B1/M1	252	50		●	●		●	●		
Blackback Contrast	F/175-FR-02	B1/M1	320	100		●	●		●	●		
Blackback Contrast	F/175-FR-02	B1/M1	505	50		●	●		●	●		
Blackback Contrast	F/175-FR-02	B1/M1	505	100		●	●		●	●		
Blackback Light FR	F/960-FR-02	B1/M1	160	100		●	●		●	●		
Blackback Light FR	F/960-FR-02	B1/M1	255	100		●	●		●	●		
Blackback Light FR	F/960-FR-02	B1/M1	320	100		●	●		●	●		
Blackback Soft	F/950-FR-02	B1	160	50		●	●		●	●		
Blackback Soft	F/950-FR-02	B1	255	50		●	●		●	●		
Blackback Soft	F/950-FR-02	B1	320	50		●	●		●	●		
Blackback Soft	F/950-FR-02	B1	320	150		●	●		●	●		
Blank fabric kids beach chair	BLK691/026X58	NONE	26	58					●	●		

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Canvas Goya 330 +S/uv	F/263-XX-11	NONE	155	50	●	●	●					
Canvas Goya 330 +S/uv	F/263-XX-11	NONE	310	50	●	●	●					
Carpet Non Woven	CARPET420G	EU	320	30					●			
Carpet Non Woven with anti-slip backing	CARPET820G	EU	160	25		●			●			
Carpet Non Woven with anti-slip backing	CARPET820G	EU	200	25		●			●			
Carpet Non Woven with anti-slip backing	CARPET820G	EU	320	25		●			●			
Casino Dimout 295	F/652-FR-02	B1	145	45					●			
Casino Dimout 295	F/952-FR-02	B1	160	50					●	●		
Casino Dimout 295	F/652-FR-02	B1	295	45					●			
Casino Dimout 295	F/952-FR-02	B1	320	50					●	●		
Cotton Canvas 230 FR + S/uv	F/140-FR-06	B1/M1	252	50	●	●	●					
Cotton Canvas 230 FR + S/uv	F/140-FR-06	B1/M1	310	50	●	●	●					
Cotton Canvas 230 FR + S/uv	F/140-FR-06	B1/M1	505	50	●	●	●					
Cotton Canvas 370	F/142-FR-06	B1/M1	155	50	●	●	●					
Cotton Canvas 370	F/142-FR-06	B1/M1	252	50	●	●	●					
Cotton Canvas 370	F/142-FR-06	B1/M1	505	50	●	●	●					
Descor Light 230	F/195-FR-06	B1/M1	310	50		●						
Descor Light 230	F/195-FR-06	B1/M1	505	50		●						
Descor Premium 245	F/190-FR-06	B1/M1	310	50		●						
Descor Premium 245	F/190-FR-06	B1/M1	505	50		●						
Descor Premium Acoustic 245 FR	F/196-FR-06	B1/M1	310	50		●						

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Descor Premium Acoustic 245 FR	F/196-FR-06	B1/M1	505	50		●						
Diamond 250 +S/uv	F/312-FR-15	M1	155	50	●	●	●					
Diamond 250 +S/uv	F/312-FR-15	M1	310	50	●	●	●					
Display Premium 260	F/129-FR-02	B1/M1	155	50					●	●		
Display Premium 260	F/129-FR-02	B1/M1	320	50					●	●		
Display Premium 260	F/129-FR-02	B1/M1	505	50					●	●		
Display Stretch 220	F/249-FR-02	B1	155	75		●	●		●	●		
Display Stretch 220	F/249-FR-02	B1	253	75		●	●		●	●		
Display Stretch 220	F/249-FR-02	B1	310	75		●	●		●	●		
Display Stretch 240	F/935-FR-02	B1	160	75		●	●		●	●		
Display Stretch 240	F/935-FR-02	B1	320	75		●	●		●	●		
Double Face 20% Cotton	F/843-XX-00	NONE	170	60					●			
Eco BeachFlag	F/156-FR-02	EU	505	100		●			●	●		
Flagxellent	F/105-FR-02	B1/M1	505	100		●			●	●		
Flagxellent	F/105-FR-02	B1/M1	505	200		●			●	●		
Furniture Canvas 360	F/660-XX-00	NONE	150	50					●			
Furniture Soft 220	F/671-XX-00	NONE	155	80					●			
Heavy Display	F/127-FR-02	B1/M1	160	50		●	●		●	●		
Heavy Display	F/127-FR-02	B1/M1	252	150		●	●		●	●		
Heavy Display	F/127-FR-02	B1/M1	320	standaardindelin		●	●		●	●		
Heavy Display	F/127-FR-02	B1/M1	505	standaardindelin		●	●		●	●		

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Heavy Stretch 260	F/936-FR-02	B1	160	50					●			
Heavy Stretch 260	F/936-FR-02	B1	320	50					●			
Heavy Tent 245 FR	F/701-FR-01	B1	150	100					●			
Heavy Tent Blockout 290	F/750-FR-02	B1	150	50					●			
Heavy Tent XL	F/901-FR-01	B1	255	50					●	●		
Heavy Tent XL	F/901-FR-01	B1	310	50					●	●		
High Drop 230 FR +S/uv	F/316-FR-15	M1	155	50	●	●	●					
High Drop 230 FR +S/uv	F/316-FR-15	M1	310	50	●	●	●					
Knitt Voile 50	F/221-FR-00	B1	155	200					●	●		
Knitt Voile 50	F/221-FR-00	B1	310	200					●	●		
Lightbox Soft Knitted	F/126-FR-06	B1	155	50	●	●	●					
Lightbox Soft Knitted	F/126-FR-06	B1	252	150	●	●	●					
Lightbox Soft Knitted	F/126-FR-06	B1	310	standaardindelin	●	●	●					
Lightbox Soft Knitted	F/126-FR-06	B1	505	standaardindelin	●	●	●					
Lightbox Supreme	F/159-FR-02	NONE	160	50					●	●		
Lightbox Supreme	F/159-FR-02	NONE	252	50					●	●		
Lightbox Supreme	F/159-FR-02	NONE	320	50					●	●		
Lightbox Venus	F/132-FR-06	EU	160	100	●	●	●		●	●		
Lightbox Venus	F/132-FR-06	EU	252	50	●	●	●		●	●		
Lightbox Venus	F/132-FR-06	EU	320	100	●	●	●		●	●		
Lightbox Venus	F/132-FR-06	EU	505	50	●	●	●		●	●		

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
MaxLight 250 FR +w	F/104-FR-02	B1	155	50		●			●	●		
MaxLight 250 FR +w	F/104-FR-02	B1	310	50		●			●	●		
MaxLight 250 FR +w	F/104-FR-02	B1	505	50		●			●	●		
Mercury 180 FR +S/uv	F/923-FR-06	B1	160	50	●	●	●					
Mercury 180 FR +S/uv	F/923-FR-06	B1	320	50	●	●	●					
Mercury NQ	F/924-FR-06	B1	160	100	●	●	●					
Mercury NQ	F/924-FR-06	B1	320	100	●	●	●					
Moon 165 FR+ uv	F/355-FR-15	B1	155	50		●						
Moon 165 FR+ uv	F/355-FR-15	B1	310	50		●						
Moon 165 FR+ uv	F/355-FR-15	B1	510	50		●						
Non Woven with stitch 130	F/401-XX-06	NONE	160	75		●			●	●		
Non Woven with stitch 130	F/401-XX-06	NONE	320	75		●			●	●		
Pearl Lightbox	F/309-FR-15	M1	160	50	●	●	●					
Pearl Lightbox	F/309-FR-15	M1	255	50	●	●	●					
Pearl Lightbox	F/309-FR-15	M1	320	100	●	●	●					
Pearl Lightbox	F/309-FR-15	M1	320	50	●	●	●					
Pearl Lightbox	F/309-FR-15	M1	510	100	●	●	●					
PES Mesh 230	F/115-FR-02	B1	252	50		●			●	●		
PES Mesh 230	F/115-FR-02	B1	505	50		●			●	●		
Pes Mesh 250	F/915-FR-02	B1	160	50		●			●	●		
Pes Mesh 250	F/915-FR-02	B1	320	50		●			●	●		

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
PES Stretchi Power 260 FR +w	F/258-FR-02	B1	155	55					●	●		
PES Stretchi Power 260 FR +w	F/258-FR-02	B1	310	55					●	●		
PES Tafetta 55 FR +w	F/206-FR-00	B1	155	100		●			●	●		
Piquet 170	F/851-XX-00	NONE	168	60					●			
Polar Fleece	F/675-XX-00	NONE	150	50					●			
Poly Canvas	F145-XX-00	NONE	155	50		●	●					
Poly Canvas	F145-XX-00	NONE	310	50		●	●					
Reflective Fabric	F990XX00	NONE	101	50					●			
Satin + non-woven 225 +W	F/768-XX-02	NONE	150	50		●			●	●		
Satin 175 FR +w	F/133-FR-02	B1/M1	310	50					●	●		
Shower Curtain 108	F/711-XX-00	NONE	208	100					●			
Shower Curtain Plain 74	F/713-XX-00	NONE	208	100					●			
Silencio 10, B-s1, d0	F/187-FR-06	B1/M1	310	25		●	●					
Silencio 10, B-s1, d0	F/187-FR-06	B1/M1	505	25		●	●					
Silencio 5	F/186-FR-06	B1/M1	310	25		●	●		●			
Silencio 5	F/186-FR-06	B1/M1	505	25		●	●		●			
Skin 145 FR	F/322-FR-15	M1	155	50	●		●					
Skin 145 FR	F/322-FR-15	M1	310	50	●		●					
SolvoFlag 115 + Paperliner	F/105-FR-06-PB	B1	152	50	●	●	●					
Sound Absorbing Felt 400	F/290-FR-00	B1	145	60		●						
Soundtex 270	F/182-FR-02	B1/M1	155	50					●	●		

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.



Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Soundtex 270	F/182-FR-02	B1/M1	310	50					●	●		
Spinnaker 65	F/180-FR-02	M1	155	100		●			●	●		
Spinnaker 65	F/180-FR-02	M1	310	100		●			●	●		
Spinnaker 65	F/180-FR-02	M1	505	100		●			●	●		
Spinnaker 75 FR+w	F/780-FR-02	B1	155	100					●	●		
Sporttrikot plain 130	F/820-XX-00	NONE	162	85					●			
Sporttrikot plain 155	F/822-XX-00	NONE	200	60					●			
Sporttrikot plain 170	F/823-XX-00	NONE	162	60					●			
Sporttrikot textured diamond 130	F/810-XX-00	NONE	174	80					●			
Sporttrikot textured diamond 180G	F/813-XX-00	NONE	168	80					●			
Sprinkler 150 FR +S/uv	F/138-FR-73	B1/M1	310	50		●						
Sprinkler 150 FR +S/uv	F/138-FR-73	B1/M1	505	50		●						
Sprinkler 90 VdS	F/139-FR-00	B1/M1	310	60		●						
Sprinkler 90 VdS	F/139-FR-00	B1/M1	520	60		●						
Subli-Lining 40	SL40/150x100	NONE	154	100					●			
Sublimis Transfer 130	F/330-FR-00	M1	160	100					●			
Sublimis Transfer 130	F/330-FR-00	M1	320	100					●			
TCS Voile 50 FR +w	F/107-FR-02	B1/M1	310	50					●	●		
TCS Voile 50 FR +w	F/107-FR-02	B1/M1	505	50					●	●		
Theater	F/327-FR-15	B1/M1	155	50	●	●	●					
Theater	F/327-FR-15	B1/M1	255	50	●	●	●					

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Theater	F/327-FR-15	B1/M1	310	50	●	●	●					
Theater	F/327-FR-15	B1/M1	510	50	●	●	●					
Thermo 180	F/830-XX-00	NONE	160	60					●			
Towel 190	F/725-XX-00	NONE	135	50					●			
Uni Basic Display 200	F/122-FR-06	B1	155	50	●	●	●					
Uni Basic Display 200	F/122-FR-06	B1	252	50	●	●	●					
Uni Basic Display 200	F/122-FR-06	B1	310	50	●	●	●					
Uni Basic Display 200	F/122-FR-06	B1	505	50	●	●	●					
Uni Display Blackback	F/128-FR-06	B1	155	50		●	●					
Uni Display Blackback	F/128-FR-06	B1	252	50		●	●					
Uni Display Blackback	F/128-FR-06	B1	310	50		●	●					
Uni Display Blackback	F/128-FR-06	B1	505	50		●	●					
Uni Heavy Display	F/127-FR-06	B1	155	50	●	●	●					
Uni Heavy Display	F/127-FR-06	B1	252	50	●	●	●					
Uni Heavy Display	F/127-FR-06	B1	310	50	●	●	●					
Uni Heavy Display	F/127-FR-06	B1	505	50	●	●	●					
Uni Maxlight 280 FR +S/uv	F/135-FR-06	B1	155	50	●	●	●					
Uni Maxlight 280 FR +S/uv	F/135-FR-06	B1	252	50	●	●	●					
Uni Maxlight 280 FR +S/uv	F/135-FR-06	B1	310	50	●	●	●					
Uni Maxlight 280 FR +S/uv	F/135-FR-06	B1	505	50	●	●	●					
Uni Tentex 185	F/131-FR-06	B1	155	50	●	●	●					

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.

Omschrijving	Code	Fr	Rol breedte (cm)	Rol lengte (m)	Solvent	UV	Latex	Waterpig	Subpap.	Subwat.	Suboil.	Subsol.
Uni Tentex 185	F/131-FR-06	B1	252	50	●	●	●					
Uni Tentex 185	F/131-FR-06	B1	310	50	●	●	●					
Uni Tentex 185	F/131-FR-06	B1	505	50	●	●	●					
Universal Heavy Art Canvas 390 FR+ws	F/201-FR-77	B1	155	50	●	●	●					
Universal Heavy Art Canvas 390 FR+ws	F/201-FR-77	B1	310	50	●	●	●					
Weave Voile 62 FR +w	F/220-FR-02	B1	155	50					●	●		
Weave Voile 62 FR +w	F/220-FR-02	B1	310	50					●	●		
Whiteback Soft	F/955-FR-02	B1	160	50		●	●		●	●		
Whiteback Soft	F/955-FR-02	B1	320	50		●	●		●	●		

**Notice:** TTS' products must be tested to determine the suitability of the product in combination with your equipment and methods of use. TTS maximum obligation shall be to replace any product supplied by TTS, which has been proven to be defective. TTS is not liable for any injury, direct or consequential, arising from the use of, or the inability to use our products. The above mentioned data are according to the latest state and are non-binding. For all technical data is a valid tolerance of 5%. We reserve the right for technical modifications.